

Author Index

- Aebersold, R., see Pasion, S.G., 57
 Alexander, S.J., see Geary, T.G., 295
 Alonso, R.A. and Peattie, D.A., Nucleotide sequence of a second alpha giardin gene and molecular analysis of the alpha giardin genes and transcripts in *Giardia lamblia*, 95
 Alpers, M.P., see Ya-Ping, S., 179
 Anders, R.F., see Marshall, V.M., 181
 Åslund, L., see Campetella, O., 225
- Barr, P.J., see Gibson, H.L., 325
 Bastien, P., see Blaineau, C., 197
 Bathurst, I.C., see Gibson, H.L., 325
 Bell Henderson, G., see Field, H., 47
 Beverley, S.M., see McMahon-Pratt, D., 151
 Bickle, Q., see Francis, P., 215
 Blackman, M.J. and Holder, A.A., Secondary processing of the *Plasmodium falciparum* merozoite surface protein-1 (MSP1) by a calcium-dependent membrane-bound serine protease: shedding of MSP1 as a noncovalently associated complex with other fragments of the MSP1, 307
 Blaineau, C., Bastien, P. and Pages, M., Multiple forms of chromosome I, II and V in a restricted population of *Leishmania infantum* contrasting with monomorphism in individual strains suggest haploidy or automixy, 197
 Blum, J.J., see Walsh, M.J., 205
 Boothroyd, J.C., see Ossorio, P.N., 1
 Borst, P., see Swinkels, B.W., 69
 Broder, A., see Duszenko, M., 269
 Brotman, B., see Lustigman, S., 79
 Brun, R., see Lun, Z.-R., 189
- Callens, M. and Opperdoes, F.R., Some kinetic properties of pyruvate kinase from *Trypanosoma brucei*, 235
 Campetella, O., Henriksson, J., Åslund, L., Frasch, A.C.C., Pettersson, U. and Cazzulo, J.J., The major cysteine proteinase (cruzipain) from *Trypanosoma cruzi* is encoded by multiple polymorphic tandemly organized genes located on different chromosomes, 225
 Cazzulo, J.J., see Campetella, O., 225
 Cerami, A., see Field, H., 47
 Cheng, Q., see Saul, A., 139
 Collins, W.E., see Gibson, H.L., 325
 Cooper, J., see Saul, A., 139
 Coppel, R.L., Repeat structures in a *Plasmodium falciparum* protein (MESA) that binds human erythrocyte protein 4.1, 335
 Coppel, R.L., see Marshall, V.M., 181
- Dietzel, J., Hirzmann, J., Preis, D., Symmons, P. and Kunz, W., Ferritins of *Schistosoma mansoni*: sequence comparison and expression in female and male worms, 245
 Dopheide, T.A.A., see Frenkel, M.J., 27
 Duszenko, M., Muhistedt, K. and Broder, A., Cysteine is an essential growth factor for *Trypanosoma brucei* bloodstream forms, 269
 Favreau, M.A., see Geary, T.G., 295
 Favreau, M.A., see Klein, R.D., 285
 Field, H., Cerami, A. and Bell Henderson, G., Cloning, sequencing, and demonstration of polymorphism in trypanothione reductase from *Crithidia fasciculata*, 47
 Francis, P. and Bickle, Q., Cloning of a 21.7-kDa vaccine-
- dominant antigen gene of *Schistosoma mansoni* reveals an EF hand-like motif, 215
 Frasch, A.C.C., see Campetella, O., 225
 Frenkel, M.J., Dopheide, T.A.A., Wagland, B.M. and Ward, C.W., The isolation, characterization and cloning of a globin-like, host-protective antigen from the excretory-secretory products of *Trichostrongylus colubriformis*, 27
- Gajendran, N., see Liu, J., 349
 Geary, T.G., Nulf, S.C., Favreau, M.A., Tang, L., Prichard, R.K., Hatzenbuhler, N.T., Shea, M.H., Alexander, S.J. and Klein, R.D., Three β-tubulin cDNAs from the parasitic nematode *Haemonchus contortus*, 295
 Geary, T.G., see Klein, R.D., 285
 Gibson, H.L., Tucker, J.E., Kaslow, D.C., Krettli, A.U., Collins, W.E., Kiefer, M.C., Bathurst, I.C. and Barr, P.J., Structure and expression of the gene for Pv200, a major blood-stage surface antigen of *Plasmodium vivax*, 325
 Gibson, W., see Lun, Z.-R., 189
 Goozé, L., see Kim, K., 105
 Gut, J., see Kim, K., 105
 Guenette, S., Prichard, R.K. and Matlashedewski, G., Identification of a novel *Brugia pahangi* β-tubulin gene (B2) and a 22-nucleotide spliced leader sequence on βI-tubulin mRNA, 275
- Haldar, K. and Uyetake, L., The movement of fluorescent endocytic tracers in *Plasmodium falciparum* infected erythrocytes, 161
 Hamers, R., see Liu, J., 349
 Hatzenbuhler, N.T., see Geary, T.G., 295
 Hatzenbuhler, N.T., see Klein, R.D., 285
 Hauquitz, D., see Saul, A., 139
 Henriksson, J., see Campetella, O., 225
 Hines, J.C., see Pasion, S.G., 57
 Hirzmann, J., see Dietzel, J., 245
 Hiuma, T., see Lustigman, S., 79
 Holder, A.A., see Blackman, M.J., 307
 Holder, A.A., see McCallum-Deighton, N., 317
 Huizinga, H., see Stanley, S.L., Jr., 127
- Irving, D., see Saul, A., 139
- Johnson, E.H., see Lustigman, S., 79
- Kaslow, D.C., see Gibson, H.L., 325
 Kemp, D.J., see Marshall, V.M., 181
 Kiefer, M.C., see Gibson, H.L., 325
 Kim, K., Goozé, L., Petersen, C., Gut, J. and Nelson, R.G., Isolation, sequence and molecular karyotype analysis of the actin gene of *Cryptosporidium parvum*, 105
 Klein, R.D., Winterrowd, C.A., Hatzenbuhler, N.T., Shea, M.H., Favreau, M.A., Nulf, S.C. and Geary, T.G., Cloning of a cDNA encoding phosphoenolpyruvate carboxykinase from *Haemonchus contortus*, 285
 Klein, R.D., see Geary, T.G., 295
 Konings, R.N.H., see Moelans, I.I.M.D., 349
 Krettli, A.U., see Gibson, H.L., 325
 Kunz, W., see Dietzel, J., 245
 Kunz-Jenkins, C., see Li, E., 355
- Lal, A.A., see McCutchan, T.F., 37

- Lal, A.A., see Moelans, I.I.M.D., 349
 Lal, A.A., see Ya-Ping, S., 179
 Lang-Unnasch, N., Purification and properties of *Plasmodium falciparum* malate dehydrogenase, 17
 Li, E., Kunz-Jenkins, C. and Stanley, S.L., Jr., Isolation and characterization of genomic clones encoding a serine-rich *Entamoeba histolytica* protein (Short Communication), 355
 Li, E., see Stanley, S.L., Jr., 127
 Li, E., see Stanley, S.L., Jr., 181
 Limpaiboon, T., see Saul, A., 139
 Liu, J., Salinas, G., Gajendran, N., Muthui, D., Muyldermans, S. and Hamers, R., DNA recombination associated with short direct repeats in *Leishmania mexicana* M379 (Short Communication), 351
 Lohman, K.L., see McMahon-Pratt, D., 151
 Loiseau, A., see Swinkels, B.W., 69
 Lun, Z.-R., Brun, R. and Gibson, W., Kinetoplast DNA and molecular karyotypes of *Trypanosoma evansi* and *Trypanosoma equiperdum* from China, 189
 Lustigman, S., Brotman, B., Johnson, E.H., Smith, A.B., Hiuma, T. and Prince, A.M., Identification and characterization of an *Onchocerca volvulus* cDNA clone encoding a microfilarial surface-associated antigen, 79
 Marshall, V.M., Coppel, R.L., Anders, R.F. and Kemp, D.J., Two novel alleles within subfamilies of the merozoite surface antigen 2 (MSA-2) of *Plasmodium falciparum* (Short Communication), 181
 Matlaskewski, G., see Guénétte, S., 275
 McCallum-Deighton, N. and Holder, A.A., The role of calcium in the invasion of human erythrocytes by *Plasmodium falciparum*, 317
 McCutchan, T.F., Lal, A.A., do Rosario, V. and Waters, A.P., Two types of sequence polymorphism in the circumsporozoite gene of *Plasmodium falciparum*, 37
 McMahon-Pratt, D., Traub-Cseko, Y., Lohman, K.L., Rogers, D.D. and Beverley, S.M., Loss of the GP46/M-2 surface membrane glycoprotein gene family in the *Leishmania braziliensis* complex, 151
 Moelans, I.I.M.D., Lal, A.A., Konings, R.N.H. and Schoenmakers, J.G.G., Sequence of a 16-kilodalton sexual stage and sporozoite surface antigen of *Plasmodium reichenowi* and comparison with Pf's 16 of *Plasmodium falciparum* (Short Communication), 349
 Mühlstädt, K., see Duszenko, M., 269
 Muthui, D., see Liu, J., 351
 Muyldermans, S., see Liu, J., 351
 Nelson, R.G., see Kim, K., 105
 Nulf, S.C., see Geary, T.G., 295
 Nulf, S.C., see Klein, R.D., 285
 Opperdoes, F.R., see Callens, M., 235
 Opperdoes, F.R., see Swinkels, B.W., 69
 Ossorio, P.N., Schwartzman, J.D. and Boothroyd, J.C., A *Toxoplasma gondii* rhoptry protein associated with host cell penetration has unusual charge asymmetry, 1
 Pagès, M., see Blaineau, C., 197
 Pasion, S.G., Hines, J.C., Aebersold, R. and Ray, D.S., Molecular cloning and expression of the gene encoding the kinetoplast-associated type II DNA topoisomerase of *Crithidida fasciculata*, 57
 Pavoa, M.M., see Ya-Ping, S., 179
 Peattie, D.A., see Alonso, R.A., 95
 Petersen, C., see Kim, K., 105
 Pettersson, U., see Campetella, O., 225
 Preis, D., see Dietzel, J., 245
 Prichard, R.K., see Geary, T.G., 295
 Prichard, R.K., see Guénétte, S., 275
 Prince, A.M., see Lustigman, S., 79
 Rajan, T.V., see Werner, C., 255
 Rajan, T.V., see Werner, C., 261
 Ray, D.S., see Pasion, S.G., 57
 Rogers, D.D., see McMahon-Pratt, D., 149
 do Rosario, V., see McCutchan, T.F., 37
 Rovai, L., Tripp, C., Stuart, K. and Simpson, L., Recurrent polymorphisms in small chromosomes of *Leishmania tarentolae* after nutrient stress of subcloning, 115
 Salinas, G., see Liu, J., 351
 Saul, A., Cooper, J., Hauquitz, D., Irving, D., Cheng, Q., Stowers, A. and Limpaiboon, T., The 42-kilodalton rhoptry-associated protein of *Plasmodium falciparum*, 137
 Schoenmakers, J.G.G., see Moelans, I.I.M.D., 349
 Schwartzman, J.D., see Ossorio, P.N., 1
 Shea, M.H., see Geary, T.G., 295
 Shea, M.H., see Klein, R.D., 285
 Simpson, L., see Rovai, L., 115
 Smith, A.B., see Lustigman, S., 79
 Stanley, S.L., Jr. and Li, E., Isolation of an *Entamoeba histolytica* cDNA clone encoding a protein with a putative zinc finger domain (Short Communication), 185
 Stanley, S.L., Jr., Huizenga, H. and Li, E., Isolation and partial characterization of a surface glycoconjugate of *Entamoeba histolytica*, 127
 Stanley, S.L., Jr., see Li, E., 355
 Stowers, A., see Saul, A., 139
 Stuart, K., see Rovai, L., 115
 Swinkels, B.W., Loiseau, A., Opperdoes, F.R. and Borst, P., A phosphoglycerate kinase-related gene conserved between *Trypanosoma brucei* and *Crithidida fasciculata*, 69
 Symmons, P., see Dietzel, J., 245
 Tang, L., see Geary, T.G., 295
 Traub-Cseko, Y., see McMahon-Pratt, D., 151
 Tripp, C., see Rovai, L., 115
 Tucker, J.E., see Gibson, H.L., 325
 Uyetake, L., see Haldar, K., 161
 Wagland, B.M., see Frenkel, M.J., 27
 Walsh, M.J. and Blum, J.J., Effects of hypoxia and acute osmotic stress on intermediary metabolism in *Leishmania promastigotes*, 205
 Ward, C.W., see Frenkel, M.J., 27
 Waters, A.P., see McCutchan, T.F., 37
 Werner, C. and Rajan, T.V., Characterization of a myosin heavy chain gene from *Brugia malayi*, 261
 Werner, C. and Rajan, T.V., Comparison of the body wall myosin heavy chain sequences from *Onchocerca volvulus* and *Brugia malayi*, 255
 Winterrowd, C.A., see Klein, R.D., 285
 Ya-Ping, S., Alpers, M.P., Pavoa, M.M. and Lal, A.A., Single amino acid variation in the ookinete vaccine antigen from field isolates of *Plasmodium falciparum* (Short Communication), 181

Subject Index

- Actin, 105
- Adhesion, 127
- Allosteric interaction, 231
- Alpha-helix, 331
- Amoebiasis, 127
- Anomalous migration, 1
- Anoxia, 201
- Anthelmintic, 301
- Antigen, 27
- Apicomplexa, 105
- Asexual intraerythrocytic stage parasite, 17
- Axenic cultivation, 265
- Benzimidazole resistance, 301
- Bivalent metal ions, 231
- Blood-stage antigen, 321
- Brugia malayi*, 251, 257
- Brugia pahangi*, 271
- Calcium binding, 211
- Calcium, 313
- CD1, 347
- Chi site, 347
- Chromosomal localization, 221
- Chromosome distribution, 193
- Circumsporozoite protein, 37
- Cloning, 281, 301
- Complementation, 281
- Crithidia fasciculata*, 47, 69
- Cruzipain, 221
- Cryptosporidium parvum*, 105
- Cysteine, 269
- Cysteine proteinase, 225
- Cytotoxic T cell, 37
- Direct repeats, 351
- DNA recombination, 351
- DNA sequence, 255, 261
- EF-hand motif, 215
- Entamoeba histolytica*, 127, 175
- Erythrocyte, 317
- Erythrocyte membrane skeleton, 335
- Erythrocyte ghost, 317
- Excretory-secretory product, 27
- Expression, 285
- Ferritin gene expression, 245
- Ferritin gene sequence, 245
- Filariasis, 261
- Gene family, 47
- Gene organisation, 95
- Genome, 47
- Giardia lamblia*, 95
- Giardin, 95
- α -Giardin, 95
- Gliding motility, 105
- Glycoconjugate, 127
- Glycosome, 69
- pH, 235
- Haemonchus contortus*, 285, 295
- Heterotropic and homotropic activator, 235
- Host protein, 27
- Hypoxia, 205
- Immunoelectron microscopy, 79
- Independent origins of mutation, 37
- Invasion, 317
- Invasion, 1.
- Irradiated vaccine sera, 215
- Killing of microfilariae, 79
- Kinetoplast, 57
- Kinetoplast DNA, 189
- Leishmania*, 197, 205, 349
- Leishmania tarentolae*, 115
- Lipid, 127
- Malaria, 307, 317
- Malaria vaccine, 325
- Malaria vaccine candidate, 139
- Malaria immunity, 37
- Malate dehydrogenase, 17
- MESA, 335
- Metabolism, 205
- Microfilaria, 79
- Mitochondrial DNA, 189
- Mitochondrion, 57
- Molecular karyotype, 105, 151
- MSP1, 307
- Myosin, 255, 261
- Nutrient stress, 115
- Onchocerca volvulus*, 79, 255
- Osmotic stress, 205
- Penetration enhancement factor, 1
- PFG karyotype, 189
- Phosphoenolpyruvate carboxykinase, 285
- Phosphoglycerate kinase, 69
- Plasmodium falciparum* Pf516, 349
- Plasmodium falciparum*, 17, 139, 307, 317, 335
- Plasmodium vivax*, 325
- Plasmodium reichenowi*, 349
- Polymerase chain reaction, 47
- Polymorphism, 115
- Protective antigen, 151
- Protozoan, 151
- Pulsed field gel electrophoresis, 105

- Pv200, 325
Pyruvate kinase, 235
- Recombinant antigen, 79
Reducing thiol compound, 269
Repeats, 335
Restricted focus, 197
Rhoptry protein, 1, 139
mRNA, 275
- Schistosoma*, 245
Schistosoma mansoni, 215
- Sequence, 47
Serine protease, 307
Sex specificity, 245
Sexual stage and sporozoite surface antigen Prs16, 351
Sexuality, 197
Sporocyst cDNA, 215
Subcloning, 115
Surface-associated antigen, 79
- Tandemly repeated genes, 225
Topoisomerase, 57
Toxoplasma gondii, 1
trans-spliced leader, 275
Trichostrongylus colubriformis, 27
Trypanosoma cruzi, 225
Trypanosoma evansi, 189
Trypanosoma equiperdum, 189
Trypanosoma brucei, 69, 235, 269
Trypanosoma, 57
- Trypanosome, 151
Trypanothione reductase, 47
β-Tubulin, 275
β-Tubulin, 295
- Variability, 335
- Zinc finger, 179

